### Form Approved REPORT DOCUMENTATION PAGE OMB NO. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget. Paperwork Reduction Project (0704-0188), Washington, DC 20503. 3. REPORT TYPE AND DATES COVERED 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE Final Report 5. FUNDING NUMBERS 4. TITLE AND SUBTITLE Archiving Millimeter-Wave Polarimetric Data with the FINRACS DAAH04-95-1-0599 6. AUTHOR(S) Jeffrey M. Baker and Robert E. McIntosh 7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER University of Massachusetts Amherst, MA 01003 SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY REPORT NUMBER U.S. Army Research Office P.O. Box 12211 ARO 34051.1-EL Research Triangle Park, NC 27709-2211 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. 12a. DISTRIBUTION / AVAILABILITY STATEMENT 12 b. DISTRIBUTION CODE Approved for public release; distribution unlimited. 13. ABSTRACT In support of the goals the Army Research Office (ARO) and to further scientific understanding, the Microwave Remote Sensing Laboratory at the University of Massachusetts has a comprehensive database of normalized radar cross sections. This database was created with one specific goal in mind, to allow convenient access to radar cross section data for radar engineers. The File of Normalized Radar Cross Sections or FINRACS database has attained this goal through utilization of the World Wide Web. This grant has supported me and other MIRSL researchers in our endeavors to achieve the aforementioned goals. 14. SUBJECT TERMS 15. NUMBER IF PAGES

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18 298-102

20. LIMITATION OF ABSTRACT

16. PRICE CODE

SECURITY CLASSIFICATION

OF ABSTRACT

OR REPORT

17. SECURITY CLASSIFICATION

18. SECURITY CLASSIFICATION

OF THIS PAGE

## Archiving Millimeter-wave Polarimetric Data with the FINRACS (File of Normalized Radar Cross Sections) Database

Final Report

Jeffrey M. Baker Robert E. McIntosh

August 14, 1998

U.S. Army Research Office

DAAH04-95-1-0599

University of Massachusetts

Approved for Public Release; Distribution Unlimited 19981230 020

THE VIEW, OPINION, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

#### Statement of Problem

In support of the goals the Army Research Office (ARO) and to further scientific understanding, the Microwave Remote Sensing Laboratory at the University of Massachusetts has a comprehensive database of normalized radar cross sections. This database was created with one specific goal in mind, to allow convenient access to radar cross section data for radar engineers. The File of Normalized Radar Cross Sections or FINRACS database has attained this goal through utilization of the World Wide Web. This grant has supported me and other MIRSL researchers in our endeavors to achieve the aforementioned goals.

## **Summary of Results**

From 1984 to 1987 the University of Massachusetts compiled a large database of radar cross section data, called the File of Normalized Radar Cross Sections or FINRACS. The database was searchable and allowed users to display the data in graphical form. The database consisted of published data from UHF to mm-Wave frequencies. It included a variety of terrain types, such as snow, grass, asphalt, crops, and soil. As polarimetric measurements began to be made in the early 1990's, the FINRACS database was modified to display polarimetric data, in the form of a polarization signature for a Mueller matrix.

The use of FINRACS was limited by the nature of the program. The users

had to host the program on their own computer. The program was originally written for use on Digital DEC stations under VMS. It was updated in early 1994 for use on IBM compatible computers by MIRSL. This allowed many more users to access the database on their personal computers, but every update to the program or database, an update had to be distributed, either by diskette or by FTP.

The advent of the World Wide Web (WWW) and web browsing software such as Netscape, Mosaic, and Microsoft Internet Explorer triggered a change in the computing world. Data and program no longer needed to reside on the user's computer. A user could search for data on the world wide web. Data mining is an appropriate term.

The new version of FINRACS, known as FINRACS-WWW, took advantage of this information-age capability. Written in Hypertext Markup Language (HTML), the FINRACS-WWW interface is a web page that allows the user to specify search criteria. The user's request tells the HTTP server to run a program to perform a search. This program and the HTTP server are run on a MIRSL computer.

FINRACS is located at http://acadia.ecs.umass.edu/finracs.html.

This search program finds relevant matches between the data and the search criteria and forms a list of relevant files. It then takes this list, forms a HTML page from it, and gives it to the HTTP server. The HTTP server then serves this page to the user.

The user then selects a file of interest and clicks display. This request tells the HTTP server to get that file and use its data to generate a plot in GIF format which is incorporated into a HTML page as an inline image. This page is served to the user and allows for modification of the plot. Using this page, users can plot the data for a different range of values on both the x- and y-axes. The user can also add several theoretical model curve fits to the data. The program now supports the following fits:

- Linear Fit
- Order n Polynomial Fit
- Exponential Fit
- Gaussian Fit
- Rayleigh Model
- Clapp Model

An effort was made to include more data to the existing database. As a part of this goal, forward-scatter radar cross section data collected in 1997 and 1998 under ARO grant DAAH 04-96-1-0043 was included.

# Participating Scientific Personnel and Advanced Degrees Earned

Robert E. McIntosh, Professor

James B. Mead, Senior Research Fellow

Jeffrey M. Baker, Ph.D. expected September 1998

Eric J. Knapp, Research Engineer